

*J. Roseman*

7530-222-3521  
FEDERAL SUPPLY SERVICE  
(GPO)



J. Rosewater

## Locality Records

Warren Gross

Changes in Christmas Atoll place  
names by U.S. Dept. Int. Bureau  
names - Decision List No. 4414 1944

old name

new name

Aniyaarii

Japton

Japton (Jiebeton)

Muti

Giriinien [Kieth]

Ginam

Tierora [low]

Bogen

11/11/11

Warren Grove

Changes in Eniwetok Atoll, Line  
Islands by U.S. Dept. Int. Board of Geog.  
Names - Decision List No. 4414 1944

old name

new name

Aniyoarii

Japton

Japton (Jiebeton)

Muli

Giriinien [Kieth]

Grinem

Tieroru [lex]

Bogen

T. Kinswater

Locality Records



February - March 1963

Eniwetok Atoll Marshall Islands

Friday  
February 8, 1963

Field Number: JR-1-63 Eniwetok Is.  
Eniwetok Atoll. Lagoon side, specimens  
collected from just above high tide mark  
along <sup>about</sup> 1500 yards of sea wall, lagoon side.  
Littorina occinea, L. undulata, L. pinctata,  
speciosa, hemisphaerica? Monticola or Cheloniculus,  
also a Notiothyridina (?)  
[Littorina specimens mostly in cracks  
in sea wall, all undulata & pinctata  
also in holes, common mostly near  
vertical holes or attached by mucus  
to surface of sea wall.]

Sunday 8:30 A.M.  
February 10, 1963 - No boat requisitioned with  
truck on board.  
JR-2-63 - Rojoa Island, Tudouana hunt  
John Roberts, Paul Firetag, William L.  
McIntyre. Interisland channel reef  
between Rojoa and Biijiri Islands, <sup>outside</sup> ~~common~~  
coral heads in channel, 0-6' - Channel  
up to 20' deep. Hypogomus, T. maxima  
Conus mainarchus - black tipped Streb seen  
much coral and beautiful fish; sea  
turtles seen on reef by McIntyre.  
Low Tide 11:15

Feb. 10, 1963  
J.R. 3-63 - Rojoa Island - lagoon reef  
0.5-20' - coral heads very large  
T. gigas (estimated 4 feet long -  
and expanded to 3 feet - also large  
Hypogomus, probably to two feet in  
length - must return to measure,  
1 large gigas (about 2 ft) and one  
medium sized gigas (about 12" high).  
Returns to lab. with catch. Stopped on way  
back where Navy divers Firetag and  
McIntyre dive in 60' water for Cassia, 1/2  
dozen collected. Halotis on T. gigas shell -  
preserved.



J.R. 4-63 Feb 11, 1963

Night Collecting alongagoon side  
Eniwetok Island - sea wall, rocks  
near lab. Melanurus - emerging from  
cracks in rock - Gross Chaper and  
Prewater. Melanurus collected. 3 spec.  
Merita seen but not collected. Littorina  
pectata, lanceolata, and undulata seen crawling  
on rocks.

→ Muti

J.R. 5-63 Feb. 14, 1963 - Shore and lagoon

Taiaha (dead) Id. - Dist. 14' Cent. 6.00

Dist. 7.0 to 10.0' from shore (dead)

taken at night - in cave on south end

of Id. Lava Hermit (Stomatopoda) found

under grotto - in numbers on lagoon

beach; some in cave. Dist. 6.0 to 10.0'

from shore - in grotto with other grottoes

on the south shore; large for them, Stomatopoda

lanceolata, Cypraea

pectata, Drupa (Drupa), small Stomatopoda

collected in lagoon alive & then undulata

from which it was Tideana squamata

from medium coral head in lagoon. Latter

fastened by its ligula which was somewhat

reluctant and not too strong (but firm)

to depression in coral. Returned to lab tank.

JR 6-63 Feb. 15, 1963 - Lagoon side Eniwetok  
Id., 10-15' small ledge - drawn by outboard  
boat. sand, coral rubble bottom, many  
small shells, bivalves, etc., dried -

JR 7-63 Feb. 17, 1963 - Lagoon side  
Eniwetok Id. 10' - large bivalve, moderate  
to small sized coral head - from  
1-2 ft. - 1 ft. - 1/2 ft. - 1/4 ft. - 1/8 ft. -  
1/16 ft. - 1/32 ft. - 1/64 ft. - about coral head  
many large bivalves of *Spondylus*  
- *Spondylus* - *Spondylus* - *Spondylus* -  
several *Spondylus* - *Spondylus* - *Spondylus* -  
dead (p. dried in alcohol.)

Feb. 19, 1963

JR 8-63 Lagoon side Eniwetok Id. -  
collecting in tide pools - sand and  
coral rubble. c. 2' deep, narrow  
sill, 1 *Spondylus* - area  
not rich at time visited - heavy  
sea - lagoon and sea side -  
black - 1 *Spondylus* - both seen very  
close - chased them away - birds  
Terns - 1 "Sooty" and 1 "White" with  
black beaks - also "Herring Gull"  
- 1 "Coccyzoides" - see  
"Herring Gull" - Return Rough.

(\*) Note: JR 8-63 - 1 dead *Turkey*  
on sea reef - the bird was  
New Caledonia - *Turkey* - the  
very high bit of the reef  
and through the *Turkey* -  
only the smaller ones were  
large ones being too big.



Wednesday

JK-9-63 Feb. 20, 1963 Wooden Pier -  
Northwest end Chumash Id. Littorina  
scabra found on piling at entry pier;  
well up out of water, but in splash  
zone - at Geologic Survey Tidal Gauge.  
Specimens very "immature", returned to  
lab where eggs noted; male and  
female placed in polyline Shevald for  
dissection to be examined microscopically.

JK-10-63 Feb. 22, 1963 - La Piz flat  
Bancroft Id, Chumash Id. tide low  
0917 - 10 ft, 2300 - 0.7 ft. @ 0917 - cones,  
Cypraea, Purpura, Columbella etc. at 1  
thousand (1?) under rocks, etc. light -  
Cypraea on sides of large boulders, etc - large  
boulders also in water at night - smaller  
boulders scattered with etc. but no shells -  
many shells at night on low rocks on water  
edge but no shells in holes. Portion  
of collection placed in polyline Shevald  
prior to preservation in 95% alcohol (JK-10-63-1)  
1) other portion preserved directly (JK-10-63-2)  
note in separate lot JK-10-63-1 cones, shells  
and bright greenish or yellowish "eggs" -  
many of them.



JK-11-63 Feb. 24, 1963

Rojoa (Ursula) and (Tilda) Biyire St.  
Cinivatch Atoll - Sea Reef, Tidal, and Flats.  
only taken collection made, See checklist incl.

JK-12-63 Feb 24, 1963 Rojoa St. - inshore

coral heads and rubble on lagoon side.

Lambis and Cypraea tigris - Note - became

a large amount of cypraea and lambis only about

the same size as the one for the same size, the

the same size as the one for the same size, the

is noted that about 50 18"-24" T. gigas

were taken by net. Small cypraea were

about 1" and all yellow, some with

greenish-blue spots, some with large

spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with

large spots, some with small spots, some with



JR-14-63 March 1, 1963 - Plankton #1"  
Tow from 14' boat, slow speed at out  
board motor; 9 1/2" diameter net about 5 min  
catch immediately preserved with conc.  
neutral formalin (for plankton) (see other  
plankton samples also from lab. water  
system). This tow made in 10-15'  
water, coral sand bottom Eniwetok Id  
lagoon - outer 1/3 of lagoon shallows.  
Tridacna squamosa taken (2nd  
one) in about 12' water on coral  
head, size about 10 T. maxima seen.  
Dr. Gross collected Cassidix curvata (young)  
& Lentia 10 br. - kept by him.

JR-15-63 March 2, 1963 - (Search for  
T. gigas) "Sam - Uriah" Id  
complex, Eniwetok Atoll, 28" specimen  
taken. Two large (15-16") T. squamosa  
taken, 1 with speckled mantle. Also see  
large Cyprina vitellus. No other trid. smaller  
T. gigas

JR-16-63 March 3, 1963 - (Search for large  
T. gigas) "Mary - Pearl" Id complex -  
Eniwetok Atoll. One ca 30" T. gigas  
taken by John Roberts + Larry MacIntyre  
in 20-25' also Helmut shells & Tridacna. Shore  
collecting "Mary" Id - glass floats, dead Halictis.



March 12, 1963

JR-17-63 Northend Eniwetok Id, lagoon side, 6-10', sand, few coral heads, Terebra, Hartula, Polymesoda, Strombus, Paludana sand collars. John Roberts, Warren Gross, Ron Capon, I. Kerner. March 16, 1963. Polymesoda - 2 specimens sent to Bill Clark. Hanging back in the lagoon of Eniwetok.

Grinem

JR-18-63 March 19, 1963 Outer reef (Eniwetok) (North) Eniwetok Atoll. Tridacna maxima on reef pavement, partially embedded in coral rubble. Corals - black - top of 2' to 3' are projecting are under water - a 2 1/2' feet deep - slabs approx 3-4' long.

Grinem

(Eniwetok)

March 19, 1963

JR-19-63 - Hermit crab shells, mostly from beneath piles of coral rubble in fringe, but not in the lagoon.

Grinem

(Eniwetok)

JR-20-63 - dead on beach west end of Id.















